

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	(actual and (target expected)) near2 transmission near time	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 14:35
L2	9	(actual same (target expected)) near2 transmission near time	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 14:48
L3	94	allocat\$3 near3 channel near8 transmission near rate	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 14:48
L5	131	(measur\$4 determin\$4) same transmission near gap\$2	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 14:58
L6	51	(measur\$4 determin\$4) near3 transmission near gap\$2	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 14:59
L7	39	(measur\$4 determin\$4) near3 transmission near gap\$2 and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 15:01
L8	0	actual adj time near5 measur\$6 same expected adj time with divid\$4 and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 15:01
L9	19	actual near5 measur\$6 same expected with divid\$4 and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 15:02
L11	2	"6564067".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 15:19
L12	31	user near (assign\$3 allocate\$3) near4 (multiple plural\$4) near4 channel\$2	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 15:26
S1	0	10/506783	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/06 16:29
S2	9	"0933955"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:30
S3	0	ep0933955	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:30

S4	2	cellular near radio near system near allowing and kabushiki	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:34
S5	3	"2001019954"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:34
S6	0	2001/019954	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:34
S7	0	2001/019954-a1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:34
S8	0	2001019954a1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:35
S9	4916	"lim et al"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:49
S10	3	"2001019954"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:38
S11	4563	utilization near factor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:44

S12	15	utilization near factor with time near interval\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:54
S13	33	utilization near factor same time near interval\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:54
S14	5	utilization near factor same time near interval\$2 same transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:54
S15	659	transmission near capacity near5 used	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/06 17:00
S16	106	transmission near capacity near used	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/06 17:01
S17	46	utilization near factor same resources	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:07
S18	5	utilization near factor same resources same transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:07
S19	3	utilization near factor same transmission near capacity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:45
S20	0	us2001019954	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:46

S21	3	"2001019954"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:46
S22	10	lim near et near al same korea	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:49
S23	4916	lim near et near al	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:49
S24	127	("455".clas. "370".clas.) and "lim et al"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:54
S25	24	(455/452.1.ccls. 455/464.ccls.) and transmission near capacity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:07
S26	61	(455/452.1.ccls. 455/464.ccls.) and (allocat\$4 assign\$4) near4 radio near3 resource\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:02
S27	0	(455/452.1.ccls. 455/464.ccls.) and (allocat\$4 assign\$4) near4 radio near3 resource\$2 same monitor\$4 near3 transmission\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:03
S28	5	(455/452.1.ccls. 455/464.ccls.) and (allocat\$4 assign\$4) near4 radio near3 resource\$2 same monitor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:26

S29	545	(455/452.1.ccls. 455/464.ccls.) and @ad<"20020312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:10
S30	4	assign near user\$2 near5 bandwidth and @ad<"20020312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:13
S31	41	"455".clas. and utilization near factor and @ad<"20020312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:13
S32	156	determin\$3 near4 ("how much" "amount") same bandwidth near5 used	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/06 18:20
S33	113	(455/452.1.ccls. 455/464.ccls.) and (allocat\$4 assign\$4) near3 resource\$2 and @ad<"20020312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:27
S34	1	(user (mobile cellular wireless) near \$4phone) near (allocat\$3 assign\$3 given) near3 (amount segment) near2 bandwidth same (allocat\$3 assign\$3) near2 resource\$2 and @ad<"20020312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:56
S35	493	(allocat\$3 assign) same bandwidth near used and @ad<"20020312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:57
S36	246	(allocat\$3 assign) with bandwidth near used and @ad<"20020312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:57
S37	12	(allocat\$3 assign) near3 resource\$2 with bandwidth near used and @ad<"20020312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 20:14

S38	13	(allocat\$3 assign given) near3 resource\$2 with bandwidth near (used utilized) and @ad<"20020312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 20:15
S39	12	(allocat\$3 assign) near3 resource\$2 with bandwidth near used and @ad<"20020312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 20:15
S40	1	S38 not S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 20:15
S41	39	(allocat\$3 assign) near3 resource\$2 same bandwidth near used and @ad<"20020312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 20:27
S42	40	utilization near factor same bandwidth and @ad<"20020312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 20:27
S43	4	"455".clas. and utilization near factor same bandwidth and @ad<"20020312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 20:27
S44	1186	(give giving assign\$3 allocat\$3) near8 (radio adj resource\$2)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 11:04
S45	8	(give giving assign\$3 allocat\$3) near8 (radio adj resource\$2) same transmission adj capacity	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 11:27
S46	1577	455/450-452.2.ccls. and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 12:19
S47	5	((qos quality adj of adj service) same bandwidth same capacity) and S46	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 11:28
S48	322	(allocat\$4 assign\$3) near2 channel\$2 same bandwidth near4 (used utilized)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 11:35

S49	17	S46 and S48	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 11:43
S50	5	(adapt\$5 variable) near4 bandwidth with (amount capacity) near3 (used utilized)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 11:48
S51	1	(adapt\$5 variable change changing) near4 bandwidth same (based dependent depending) near7 (amount capacity) near3 (used utilized)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 11:49
S52	3	(adapt\$5 variable change changing) near4 bandwidth same (based dependent depending) near7 (amount capacity) near8 (used utilized)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 11:50
S53	90	(based dependent depending) near7 (amount) near8 bandwidth near5 (used utilized)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 12:03
S54	0	(455/450-452.2.ccls. 455/509.ccls. "455""."516".ccls. 455/455.ccls.) and (based dependent depending) near7 (amount) near8 bandwidth near5 (used utilized)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 12:06
S55	0	(455/450-452.2.ccls. 455/509.ccls. 455/516.ccls. 455/455.ccls.) and (based dependent depending) near7 (amount) near8 bandwidth near5 (used utilized)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 12:07
S56	41	("455".clas. "370".clas.) and (based dependent depending) near7 (amount) near8 bandwidth near5 (used utilized)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 12:10
S57	5	("455".clas. "370".clas.) and (bandwidth near given allocated assigned) same (based dependent depending) near7 (amount) near8 bandwidth near5 (used utilized)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 12:14
S58	21	(bandwidth near2 given allocat\$3 assign\$3) same (based dependent depending) near7 (amount) near8 bandwidth near5 (used utilized)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 12:14
S59	130	(455/450-452.2.ccls.) and qos and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:34
S60	137	(455/450-452.2.ccls. 455/509.ccls. 455/455.ccls. 455/516.ccls.) and qos and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:08

S61	9363	transmission adj capacity	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:08
S62	225	transmission adj capacity with transmission adj rate\$2	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:08
S63	167	transmission adj capacity with transmission adj rate\$2 and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:08
S64	25	transmission adj capacity with ((assign\$3 allocat\$3) with transmission adj rate\$2) and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:18
S65	2138	utilization adj factor and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:18
S66	6	utilization adj factor same transmission adj rate and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:22
S67	1	utilization adj factor same bandwidth near3 used and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:22
S68	7	utilization adj factor same (channel bandwidth) near3 (used usage) and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:24
S69	2	allocate near data near transmission near rate and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:27
S70	116	(allocat\$3 assign\$4) near3 data near transmission near rate\$2 and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:32
S71	2	"2001019954"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:34
S72	27	(455/450-452.2.ccls.) and qos same capacity and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:34
S73	1	uili and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 14:22
S74	2	uili "use it or lose it" and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 14:22
S75	137	adaptive near channel near allocation and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 14:22
S76	4	("5708968").URPN.	USPAT	OR	OFF	2005/06/07 14:26

S77	0	time near interval\$2 with (bandwidth channel capacity) near ("not") near (utilized maximized used)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:06
S78	820	time near interval\$2 with (bandwidth channel capacity) with (utilized maximized used)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:06
S79	0	time near interval\$2 same (bandwidth channel capacity) near ("not") near (utilized maximized used)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:06
S80	1509	time near interval\$2 same (bandwidth channel capacity) near5 (utilized maximized used)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:06
S81	450	time near interval\$2 same (bandwidth channel capacity) near (utilized maximized used)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:07
S82	350	time near interval\$2 same (bandwidth channel capacity) near (utilized maximized used) and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:08
S83	0	time near3 user near3 "not" near3 (receive transmit)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:16
S84	20	"not" with (transmit\$4 receiv\$4) near data	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:17
S85	3516	time with user with (transmit\$4 receiv\$4) near data	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:18
S86	0	time with user near2 does near2 (transmit\$4 receiv\$4) near data	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:18
S87	0	time same user near2 does near2 (transmit\$4 receiv\$4) near data	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:18
S88	1135	time with user near2 (transmit\$4 receiv\$4) near data	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:19
S89	42	time near interval with user near2 (transmit\$4 receiv\$4) near data	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:20
S90	38	determin\$3 near3 time with user near2 (transmit\$4 receiv\$4) near data	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:22
S91	11	determin\$3 adj2 time with user near2 (transmit\$4 receiv\$4) near data	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:29

S92	18	(actual and (target estimate\$2)) near2 time with transmission near3 data	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:32
S93	19	(actual\$4 and (target estimate\$2)) near2 time with transmission near3 data	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:33
S94	267	(actual\$4) near2 time with transmission near3 data	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:33
S95	202	(actual\$4) near2 time near6 transmission near3 data	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:36
S96	14	determin\$4 near6 (actual\$4) near2 time near6 transmission near3 data	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 16:36
S97	0	("2003/0016739").URPN.	USPAT	OR	OFF	2005/06/07 18:05
S98	1	"5164938".pn.	USPAT	OR	OFF	2005/06/07 18:05
S99	0	monitor\$3 near3 base near station near3 ("no" without) near2 (transmission throughput)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 12:02
S10 0	165	monitor\$3 near3 base near station near3 (transmission throughput)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 12:02
S10 1	57	monitor\$3 near3 base near station near3 (transmission throughput) same time	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 12:03
S10 2	27	monitor\$3 near3 base near station near3 (transmission throughput) with time	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 12:08
S10 3	6	transmit with OSI with first near layer	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 12:22
S10 4	11	transmit\$4 with OSI with first near layer	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 12:34
S10 5	2	OSI same first adj layer with monitor\$3 same transmi\$6	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 12:36
S10 6	2	OSI same first adj layer same monitor\$3 same transmi\$6	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 12:36
S10 7	76	OSI same first adj layer same transmi\$6	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 12:39
S10 8	236	monitor with base near station near4 transmission\$2	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:28

S10 9	2	monitor with OSI near9 (first phyiscal) near layer	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:29
S11 0	17	OSI near9 (first phyiscal) near layer with transmit\$6	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:33
S11 1	1	OSI same (first phyiscal) adj layer with transmi\$7 near (bit\$2 data)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:35
S11 2	1	OSI same (first phyiscal) adj layer with (transmi\$7 send\$2) near (bit\$2 data)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:35
S11 3	1	OSI same (first phyiscal) adj layer with (transmi\$7 send\$4) near (bit\$2 data)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:36
S11 4	0	OSI same (phyiscal) adj layer same (transmi\$7 send\$4) near5 (bit\$2 data)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:36
S11 5	732	OSI same (physical) adj layer same (transmi\$7 send\$4) near5 (bit\$2 data)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:36
S11 6	412	OSI same (first physical) adj layer with (transmi\$7 send\$4) near5 (bit\$2 data)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:36
S11 7	143	OSI with (first physical) adj layer with (transmi\$7 send\$4) near5 (bit\$2 data)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:37
S11 8	117	OSI with (first physical) adj layer with (transmi\$7 send\$4) near5 (bit\$2 data) and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:38
S11 9	105	OSI with (first physical) adj layer with (transmi\$7 send\$4) near2 (bit\$2 data) and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:44
S12 0	58	monitor with base adj station near5 transmitting and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:45
S12 1	143	base adj station near5 monitor\$4 near9 transmitting and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:46
S12 2	89	base adj station near5 monitor\$4 near5 transmitting and @ad<"20020312"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 13:47